Watch Water® Germany

POSTER 5 | INSPECTION & PREVENTION

FIND HIDDEN MOULD

CONTROL THE MOISTURE. REDUCE REGROWTH.

Look beyond the visible patch.



Illustrative images

01 BATHROOMS & WET AREAS



Check shower edges, window frames and repeatedly damp corners. Use suitable extraction to remove humid air outdoors. Dry wet surfaces after use.

02 BEHIND FURNITURE & FINISHES



A musty smell without an obvious source can indicate hidden mould. Growth may occur behind wallpaper, wall panels or furniture. Have suspected hidden contamination investigated professionally.

03 LEAKS ABOVE & BELOW



Inspect roof leaks, plumbing, under-sink cupboards and water-damaged ceilings. The visible patch may be some distance from the water source. Repair the leak before completing remediation.

04 VENTILATION & AIR CONDITIONING



Condensate pans, wet insulation and duct liners can harbour mould. Suspected system contamination needs specialist assessment before operation. Never improvise by spraying chemicals into ducts.

05 MANAGE HUMIDITY



CDC advises keeping home humidity no higher than 50%. Check at different times of day. Use appropriate ventitation or dehumidification and address persistent condensation.

06 DRY WATER DAMAGE PROMPTLY



Dry wet areas and materials within 24–48 hours where possible. Assess anything that remains wet. Extensive water damage, hidden growth or contaminated floodwater needs professional attention.

VirolOxy® | TREAT COMPATIBLE WASHABLE SURFACES

5% SOLUTION • 30 MINUTES WET CONTACT • CLEAN-WATER RINSE

Apply using Watch Water's current instructions, keep the surface wet for the full contact period, then rinse, remove residues and dry thoroughly. Use only where permitted by the product label.
Wear suitable gloves and eye protection. Ventilate, avoid inhaling spray and follow the safety data sheet.

FOLLOW UP AFTER CLEANING

Recheck the treated area and moisture source. New growth or a returning musty smell calls for further investigation.

www.watchwater.com

Sources: EPA, Hidden Mold / Commercial Buildings Guide, Chapter 3; EPA, Moisture Control guidance; CDC, Mold prevention.
5% / 30-minute surface protocol supplied by Watch Water.

WATCH WATER® GmbH
Fahrlachstraße 14, 68165 Mannheim, Germany
Telephone : +49 621 879510
Email : info@watchwater.de

www.watchwater.de

WATCH WATER® a Water Company